


Scopus(Elsevier社)論文被引用回数データ(2018年3月10日現在)

筑波大学システム情報系情報工学域 教授
 JST-ERATO, 量子ビーム位相ビームイメージングプロジェクト
 日本医用画像工学会(JAMIT) 副会長
 工藤 博幸



文献数	143
被引用数(合計)	1,867
被引用文献数	1,218
h-index	22
共著者	140
分野	Computer Science , Engineering

タイトル	出版物名	出版年	雑誌インパクト ファクター(2016)	合計引用数
Image reconstruction from fan-beam projections on less than a short scan	Physics in Medicine and Biology 47 (14) ,pp.2525	2002	2.742	187
Tiny a priori knowledge solves the interior problem in computed tomography	Physics in Medicine and Biology 53 (9) ,pp.2207	2008	2.742	157
Truncated Hilbert transform and image reconstruction from limited tomographic data	Inverse Problems 22 (3) ,pp.1037	2006	1.620	150
A solution to the long-object problem in helical cone-beam tomography	Physics in Medicine and Biology 45 (3) ,pp.623	2000	2.742	135
Cone-beam filtered-backprojection algorithm for truncated helical data	Physics in Medicine and Biology 43 (10) ,pp.2885	1998	2.742	116
Derivation and Implementation of a Cone-Beam Reconstruction Algorithm for Nonplanar Orbits	IEEE Transactions on Medical Imaging 13 (1) ,pp.196	1994	3.942	93
Solving the interior problem of computed tomography using a priori knowledge	Inverse Problems 24 (6)	2008	1.620	87
An accurate iterative reconstruction algorithm for sparse objects: Application to 3D blood vessel reconstruction from a limited number of projections	Physics in Medicine and Biology 47 (15) ,pp.2599	2002	2.742	78
Quasi-exact filtered backprojection algorithm for long-object problem in helical cone-beam tomography	IEEE Transactions on Medical Imaging 19 (9) ,pp.902	2000	3.942	65

Subset-dependent relaxation in block-iterative algorithms for image reconstruction in emission tomography	Physics in Medicine and Biology 48 (10) ,pp.1405	2003	2.742	64
Investigation of saddle trajectories for cardiac CT imaging in cone-beam geometry	Physics in Medicine and Biology 49 (11) ,pp.2317	2004	2.742	63
New Super-Short-Scan Algorithms for Fan-Beam and Cone-Beam Reconstruction	IEEE Nuclear Science Symposium and Medical Imaging Conference 2 ,pp.902	2002		41
Enabling photon counting clinical x-ray CT	IEEE Nuclear Science Symposium Conference Record ,pp.3581	2009		39
Sinogram recovery with the method of convex projections for limited-data reconstruction in computed tomography	Journal of the Optical Society of America A: Optics and Image Science, and Vision 8 (7) ,pp.1148	1991	1.621	39
Feasible cone beam scanning methods for exact reconstruction in three-dimensional tomography	Journal of the Optical Society of America A: Optics and Image Science, and Vision 7 (12) ,pp.2169	1990	1.621	38
Exact cone beam reconstruction for a saddle trajectory	Physics in Medicine and Biology 51 (5) ,pp.1157	2006	2.742	30
A new reconstruction strategy for image improvement in pinhole SPECT	European Journal of Nuclear Medicine and Molecular Imaging 31 (8) ,pp.1166	2004	7.277	29
Exact and approximate algorithms for helical cone-beam CT	Physics in Medicine and Biology 49 (13) ,pp.2913	2004	2.742	28
General reconstruction theory for multislice X-ray computed tomography with a gantry tilt	IEEE Transactions on Medical Imaging 23 (9) ,pp.1109	2004	3.942	26
Statistical image reconstruction from limited projection data with intensity priors	Physics in Medicine and Biology 57 (7) ,pp.2039	2012	2.742	24
Extended completeness condition for exact cone-beam reconstruction and its application	IEEE Nuclear Science Symposium & Medical Imaging Conference 4 ,pp.1710	1995		23
Improved iterative algorithm for sparse object reconstruction and its performance evaluation with Micro-CT data	IEEE Transactions on Nuclear Science 51 (3 II) ,pp.659	2004	1.171	22
New anatomical-prior-based image reconstruction method for PET/SPECT	IEEE Nuclear Science Symposium Conference Record 6 ,pp.4142	2007		21
Motion compensated fan-beam reconstruction for nonrigid transformation	IEEE Transactions on Medical Imaging 27 (7) ,pp.907	2008	3.942	18
Fast and stable cone-beam filtered backprojection method for non-planar orbits	Physics in Medicine and Biology 43 (4) ,pp.747	1998	2.742	18
Derivation and implementation of ordered-subsets algorithms for list-mode PET data	IEEE Nuclear Science Symposium Conference Record 4 ,pp.1950	2005		15
Improved two-dimensional rebinning of helical cone-beam computerized tomography data using John's equation	Inverse Problems 19 (6)	2003	1.620	15

Rebinning-based algorithms for helical cone-beam CT	Physics in Medicine and Biology 46 (11) ,pp.2911	2001	2.742	15
A new approach to SPECT attenuation correction without transmission measurements	IEEE Nuclear Science Symposium and Medical Imaging Conference 2	2000		15
Performance of quasi-exact cone-beam filtered backprojection algorithm for axially truncated helical data	IEEE Transactions on Nuclear Science 46 (3 PART 2) ,pp.608	1999	1.171	13
Approximate short-scan filtered-backprojection for helical CB reconstruction	IEEE Nuclear Science Symposium and Medical Imaging Conference 3 ,pp.2073	1999		11
Optimal relaxation parameters of DRAMA (dynamic RAMLA) aiming at one-pass image reconstruction for 3D-PET	Physics in Medicine and Biology 55 (10) ,pp.2917	2010	2.742	10
Millimeter-wave scanning near-field anisotropy microscopy	Review of Scientific Instruments 76 (3)	2005	1.515	10
Tiny a priori knowledge solves the interior problem	IEEE Nuclear Science Symposium Conference Record 6 ,pp.4068	2007		9
View-independent reconstruction algorithms for cone beam CT with general saddle trajectory	Physics in Medicine and Biology 51 (15) ,pp.3865	2006	2.742	9
New approximate filtered backprojection algorithm for helical cone-beam CT with redundant data	IEEE Nuclear Science Symposium Conference Record 5 ,pp.3211	2003		9
GPU-based PET image reconstruction using an accurate geometrical system model	IEEE Transactions on Nuclear Science 59 (5 PART 1) ,pp.1977	2012	1.171	7
New approach to exact cone-beam reconstruction without Radon transform	IEEE Nuclear Science Symposium and Medical Imaging Conference 3 ,pp.1636	1999		7
Extended cone-beam reconstruction using Radon transform	IEEE Nuclear Science Symposium & Medical Imaging Conference 3 ,pp.1693	1996		7
Sparsity-constrained three-dimensional image reconstruction for C-arm angiography	Computers in Biology and Medicine 62 ,pp.141	2015	1.836	6
A simple motion tracking backprojection for a class of affine transformation	Progress in Biomedical Optics and Imaging - Proceedings of SPIE 6913	2008		5
Toward time resolved cardiac CT images with patient dose reduction: Image-based motion estimation	IEEE Nuclear Science Symposium Conference Record 4 ,pp.2029	2007		5
A dual layer GSO PET system for small animal: K-PET II	IFMBE Proceedings 14 (1) ,pp.1712	2007		5
Accurate and efficient image reconstruction for spatio-temporal CT	IEEE Nuclear Science Symposium Conference Record 6 ,pp.3987	2004		5
Ordered-subsets EM algorithm for image segmentation with application to brain MRI	IEEE Nuclear Science Symposium and Medical Imaging Conference 3	2000		5
2D Non-Separable Block-Lifting Structure and Its Application to M-Channel Perfect Reconstruction Filter Banks for Lossy-to-Lossless Image Coding	IEEE Transactions on Image Processing 24 (12) ,pp.4943	2015	4.828	4

Towards high-resolution synchrotron radiation imaging with statistical iterative reconstruction	Journal of Synchrotron Radiation 20 (1) ,pp.116	2013	3.011	4
3D-OSEM reconstruction from truncated data in pinhole SPECT	IEEE Nuclear Science Symposium Conference Record 6 ,pp.4205	2007		4
A new class of super-short-scan algorithms for fan-beam reconstruction	IEEE Nuclear Science Symposium Conference Record 4 ,pp.2296	2005		4
Three-dimensional monochromatic x-ray computed tomography using synchrotron radiation	Optical Engineering 37 (8) ,pp.2258	1998	1.082	4
Three - dimensional helical - scan computed tomography using cone - beam projections	Systems and Computers in Japan 23 (12) ,pp.75	1992		4
HIGH QUALITY CT IMAGE RECONSTRUCTION FROM A SMALL NUMBER OF PROJECTIONS.	ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings ,pp.1272	1988		4
Row-action image reconstruction algorithm using ℓ_p -norm distance to a reference image	IEEE Nuclear Science Symposium Conference Record ,pp.3966	2012		3
Adaptive thresholding for robust iterative image reconstruction from limited views projection data	IEEE Nuclear Science Symposium Conference Record ,pp.4249	2012		3
Conceptual design of high resolution and quantitative SPECT system for imaging a selected small roi of human brain	IEEE Nuclear Science Symposium Conference Record ,pp.3484	2009		3
Region-of-interest reconstruction from truncated projection data under blind object support	IEEE Nuclear Science Symposium Conference Record ,pp.3632	2008		3
Practical statistical models for region-of-interest tomographic reconstruction and long object problem	IEEE Nuclear Science Symposium Conference Record 5 ,pp.3505	2007		3
Improved 2D rebinning of helical cone-beam CT data using John's equation	IEEE Nuclear Science Symposium and Medical Imaging Conference 3 ,pp.1465	2002		3
IMAGE RECONSTRUCTION FROM LIMITED VIEW ANGLE PROJECTION DATA.	ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings ,pp.1187	1987		3
Probabilistic atlas prior for CT image reconstruction	Computer Methods and Programs in Biomedicine 128 ,pp.119	2016	2.503	2
Extended block-lifting-based lapped transforms	IEEE Signal Processing Letters 22 (10) ,pp.1657	2015	2.528	2
Restoration of lost frequency in OpenPET imaging: Comparison between the method of convex projections and the maximum likelihood expectation maximization method	Radiological Physics and Technology 7 (2) ,pp.329	2014		2
Two-dimensional non-separable block-lifting-based M-channel biorthogonal filter banks	European Signal Processing Conference ,pp.291	2014		2

Integer fast lapped biorthogonal transform via applications of DCT matrices and dyadic-valued factors for lifting coefficient blocks	2013 IEEE International Conference on Image Processing, ICIP 2013 - Proceedings ,pp.800	2013		2
Note: Near-field imaging of thermal radiation at low temperatures by passive millimeter-wave microscopy	Review of Scientific Instruments 84 (3)	2013	1.515	2
GPU implementation of list-mode DRAMA for real-time OpenPET image reconstruction	IEEE Nuclear Science Symposium Conference Record ,pp.2273	2010		2
MAP-EM reconstruction using uniform background template for limited-angle PEM	IEEE Nuclear Science Symposium Conference Record ,pp.4172	2008		2
Image processing method for analyzing cerebral blood-flow using SPECT and MRI	IEEE Nuclear Science Symposium Conference Record 5 ,pp.4015	2007		2
Performance evaluation of relaxed block-iterative algorithms for 3-D PET reconstruction	IEEE Nuclear Science Symposium Conference Record 5 ,pp.2830	2004		2
3D image reconstruction using complete data in pinhole SPECT	IEEE Nuclear Science Symposium Conference Record 3 ,pp.2100	2003		2
Segmented attenuation map reconstruction from incomplete transmission data	IEEE Nuclear Science Symposium and Medical Imaging Conference 2	2000		2
New stochastic sampling method for region extraction: theory and experiments	Proceedings of SPIE - The International Society for Optical Engineering 2823 ,pp.174	1996		2
Texture image segmentation by optimal Gabor filters	International Conference on Signal Processing Proceedings, ICSP 1 ,pp.380	1996		2
Millisecond-order X-ray phase tomography with compressed sensing	Japanese Journal of Applied Physics 56 (11)	2017	1.384	1
Investigation into image quality difference between total variation and nonlinear sparsifying transform based compressed sensing	Progress in Biomedical Optics and Imaging - Proceedings of SPIE 10132	2017		1
Applications of compressed sensing image reconstruction to sparse view phase tomography	Proceedings of SPIE - The International Society for Optical Engineering 10391	2017		1
FBP embedded iterative method to efficiently solve the low-dose CT	Progress in Biomedical Optics and Imaging - Proceedings of SPIE 10132	2017		1
A very fast iterative algorithm for TV-regularized image reconstruction with applications to low-dose and few-view CT	Proceedings of SPIE - The International Society for Optical Engineering 9967	2016		1
Interactive segmentation of pancreases from abdominal CT images by use of the graph cut technique with probabilistic atlases	Smart Innovation, Systems and Technologies 45 ,pp.575	2016		1
Clinical Usability of a Compact high resolution detector for high resolution and quantitative SPECT imaging in a selected small ROI	IEEE Nuclear Science Symposium Conference Record ,pp.4257	2008		1

Combination of a high resolution detector with small fOV and a low resolution detector with large FOV for high resolution and quantitative SPECT	IEEE Nuclear Science Symposium Conference Record ,pp.5229	2008		1
Wavelet image coding with context-based zerotree quantization framework	IEICE Transactions on Information and Systems E83-D (2) ,pp.211	2000	0.411	1
Wavelet packet image coding with optimized zerotree quantization	Proceedings of SPIE - The International Society for Optical Engineering 3460 ,pp.352	1998		1
Three-dimensional computed tomography using cone-beam monochromatic x-rays	IEEE Nuclear Science Symposium & Medical Imaging Conference 3 ,pp.1501	1996		1
Efficient linogram sampling method for cone-beam reconstruction	IEEE Nuclear Science Symposium & Medical Imaging Conference 2 ,pp.1165	1995		1
Three-dimensional monochromatic x-ray CT	Proceedings of SPIE - The International Society for Optical Engineering 2564 ,pp.548	1995		1
Tomographic image reconstruction from incomplete cone beam projections by the method of convex projections	Electronics and Communications in Japan (Part III: Fundamental Electronic Science) 74 (9) ,pp.54	1991		1
TOMOGRAPHIC IMAGE RECONSTRUCTION FROM HOLLOW PROJECTIONS.	ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings ,pp.1276	1988		1
A Tomographic Image Reconstruction from Limited View Angle Projection Data	Systems and Computers in Japan 19 (7) ,pp.56	1988		1
Template-matching-based tracking of cervical spines in videofluorography during swallowing	Smart Innovation, Systems and Technologies 71 ,pp.185	2018		0
Image Boundary Extension with Mean Value for Cosine-Sine Modulated Lapped/Block Transforms	IEEE Transactions on Circuits and Systems for Video Technology	2017	3.599	0
Atlas-based interior tomography	2016 IEEE Nuclear Science Symposium, Medical Imaging Conference and Room-Temperature Semiconductor Detector Workshop, NSS/MIC/RTSD 2016 2017-January	2017		0
Atlas-based image reconstruction for breast CT imaging using non-isocentric c-arm scanner	2016 IEEE Nuclear Science Symposium, Medical Imaging Conference and Room-Temperature Semiconductor Detector	2017		0

Needle detection in interventional pain management with 3D image reconstruction	2016 IEEE Nuclear Science Symposium, Medical Imaging Conference and Room-Temperature Semiconductor Detector Workshop, NSS/MIC/RTSD 2016 2017-January	2017		0
An MRF-based image segmentation with unsupervised model parameter estimation	Proceedings of the 15th IAPR International Conference on Machine Vision Applications, MVA 2017 ,pp.432	2017		0
In-situ straining and time-resolved electron tomography data acquisition in a transmission electron microscope	Microscopy 66 (2) ,pp.143	2017	2.528	0
Compressed sensing of sparsity-constrained total variation minimization for CT image reconstruction	Progress in Biomedical Optics and Imaging - Proceedings of SPIE 10132	2017		0
Interactive Segmentation of Pancreases in Abdominal Computed Tomography Images and Its Evaluation Based on Segmentation Accuracy and Interaction Costs	BioMed Research International 2017	2017		0
Practical interior tomography with small region piecewise model prior	Progress in Biomedical Optics and Imaging - Proceedings of SPIE 10132	2017		0
Phase unwrapping with differential phase image	Progress in Biomedical Optics and Imaging - Proceedings of SPIE 10132	2017		0
Low-dose CT image reconstruction method with probabilistic atlas prior	2015 IEEE Nuclear Science Symposium and Medical Imaging Conference, NSS/MIC 2015	2016		0
Image boundary extension with mean values for cosine-sine modulated filter banks	2015 15th International Symposium on Communications and Information Technologies, ISCIT 2015 ,pp.69	2016		0
Low-dose multiphase abdominal CT reconstruction with phase-induced swap prior	Proceedings of SPIE - The International Society for Optical Engineering 9967	2016		0
Proposal of fault-tolerant tomographic image reconstruction	Proceedings of SPIE - The International Society for Optical Engineering 9967	2016		0
New designs of CT scanners and compressed sensing	Seimitsu Kogaku Kaishi/Journal of the Japan Society for Precision Engineering 82 (6) ,pp.506	2016		0
An improved phase shift reconstruction algorithm of fringe scanning technique for X-ray microscopy	Review of Scientific Instruments 86 (2)	2015	1.515	0
Compressed-sensing-based three-dimensional image reconstruction algorithm for C-arm vascular imaging	Proceedings of the 7th Cairo International Biomedical Engineering Conference, CIBEC 2014 ,pp.111	2015		0

Integer time-domain pre- and post-filters for low-complexity extension of JPEG standard	2014 Asia-Pacific Signal and Information Processing Association Annual Summit and Conference, APSIPA 2014	2014		0
Development of interactive 3D imaging system for hepatic angiography	IEEE Nuclear Science Symposium Conference Record	2013		0
General analytical reconstruction formula for fan-beam computed tomography	Progress in Biomedical Optics and Imaging - Proceedings of SPIE 8313	2012		0
Analytical fan-beam reconstruction algorithm for free-form trajectory with plus-minus weighting scheme	Progress in Biomedical Optics and Imaging - Proceedings of SPIE 8313	2012		0
Metal artifact reduction in X-ray computed tomography by using analytical DBP-type algorithm	Progress in Biomedical Optics and Imaging - Proceedings of SPIE 8313	2012		0
Towards a high-resolution local tomography using statistical iterative reconstruction	IEEE Nuclear Science Symposium Conference Record ,pp.4253	2012		0
Iterative thresholding framework for row-action reconstruction from sparse projection data	IEEE Nuclear Science Symposium Conference Record ,pp.4257	2012		0
Computer-aided-diagnosis of dementia using SPECT images	Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers 65 (4) ,pp.444	2011		0
High resolution brain imaging with combined parallel-hole and pinhole collimation	IEEE Nuclear Science Symposium Conference Record ,pp.3145	2010		0
Fusion of image reconstruction and lesion detection using a bayesian framework for PET/SPECT	IEEE Nuclear Science Symposium Conference Record ,pp.3617	2008		0
Noise reduction using a theoretically-exact algorithm for helical cone-beam tomography	IEEE Nuclear Science Symposium Conference Record 3 ,pp.1674	2007		0
Statistical PET image reconstruction using duality of nonlinear programming	Electronics and Communications in Japan, Part II: Electronics (English translation of Denshi Tsushin Gakkai Ronbunshi) 90 (11) ,pp.122	2007		0
Generation of a high-resolution image from a single low-resolution image using discrete cosine transformation	Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers 61 (7) ,pp.1025	2007		0
A unified approach to statistical image reconstruction using dual ascent optimization	IEEE Nuclear Science Symposium Conference Record 6 ,pp.3541	2004		0
Image improvement in pinhole SPECT using complete data acquisition combined with statistical image reconstruction	International Congress Series 1265 (C) ,pp.101	2004		0

Attenuation Map Reconstruction Using Topology Constrained Labeling	Electronics and Communications in Japan, Part II: Electronics (English translation of Denshi Tsushin Gakkai Ronbunshi) 86 (9) ,pp.31	2003		0
Newton-SOR method for fast statistical tomographic image reconstruction	Systems and Computers in Japan 34 (4) ,pp.1	2003		0
Shape representation using extended hyperquadrics	Electronics and Communications in Japan, Part II: Electronics (English translation of Denshi Tsushin Gakkai Ronbunshi) 86 (4) ,pp.42	2003		0
Sparse Object Reconstruction from a Limited Number of Projections Using the Linear Programming	IEEE Nuclear Science Symposium and Medical Imaging Conference 2 ,pp.989	2002		0
Improvement in image reconstruction of scanning near-field millimeter-wave microscopy using a metal slit-type probe	Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers 40 (6 A) ,pp.4252	2001	1.384	0
Globally convergent newton-SOR method for statistical image reconstruction	IEEE Nuclear Science Symposium and Medical Imaging Conference 2	2000		0
Performance of quasi-exact cone-beam filtered backprojection algorithm for axially truncated helical data	IEEE Nuclear Science Symposium and Medical Imaging Conference 3 ,pp.1409	1999		0
Stereo-matching algorithm based on energy minimization principle in Markov random field model	Proceedings of SPIE - The International Society for Optical Engineering 2823 ,pp.128	1996		0
Compression of rotation images based on the wavelet transform	International Conference on Signal Processing Proceedings, ICSP 2 ,pp.1043	1996		0
Signal source localization from spatio-temporal bio-magnetic data by signal subspace method	Systems and Computers in Japan 27 (2) ,pp.12	1996		0
Three-dimensional Bayesian reconstruction applied to cardiac SPECT	IEEE Nuclear Science Symposium & Medical Imaging Conference 2 ,pp.1247	1995		0
Multiple signal source localization from spatio-temporal magnetocardiogram	IEEE Nuclear Science Symposium & Medical Imaging Conference 4 ,pp.1832	1995		0
Edge detection using markov random field models—optimization and parameter estimation by mean field annealing	Electronics and Communications in Japan (Part III: Fundamental Electronic Science) 78 (7) ,pp.21	1995		0
Image restoration with a generalized expectation-maximization algorithm	Systems and Computers in Japan 24 (12) ,pp.43	1993		0
Reconstruction of emission tomographic images using the compound gauss - markov random field	Systems and Computers in Japan 24 (4) ,pp.78	1993		0

Reconstruction of Three-Dimensional Structure of Cerebral Vessels from Digital Subtraction Angiographic Images	Japanese journal of medical electronics and biological engineering 30 (4) ,pp.276	1992		0
Reconstruction of magnetic resonance images by iterative methods	Systems and Computers in Japan 23 (3) ,pp.62	1992		0
Estimation of static field inhomogeneity and patient motion in magnetic resonance imaging	Systems and Computers in Japan 23 (1) ,pp.38	1992		0
Tomographic image reconstruction from incomplete projection data by the method of convex projections	Systems and Computers in Japan 22 (2) ,pp.66	1991		0
Three - dimensional tomographic image reconstruction from cone beam projections by single scanning method	Systems and Computers in Japan 21 (11) ,pp.86	1990		0
A reversible data compression scheme for CT image archiving	Proceedings of SPIE - The International Society for Optical Engineering 1091 ,pp.60	1989		0