


Scopus(Elsevier社)論文被引用回数データ(2018年6月24日現在)



筑波大学システム情報系情報工学域 教授
 JST-ERATO, 量子ビーム位相ビームイメージングプロジェクト
 日本医用画像工学会(JAMIT) 副会長
 工藤 博幸

文献数	145
被引用数(合計)	1,915
被引用文献数	1,251
h-index	22
共著者	142
分野	Computer Science , Engineering

タイトル	出版物名	出版年	雑誌インパクト ファクター(2017)	合計引用数
Image reconstruction from fan-beam projections on less than a short scan	Physics in Medicine and Biology, 47(14), pp. 2525-2546	2002	2.665	190
Tiny a priori knowledge solves the interior problem in computed tomography	Physics in Medicine and Biology, 53(9), pp. 2207-2231	2008	2.665	160
Truncated Hilbert transform and image reconstruction from limited tomographic data	Inverse Problems, 22(3), pp. 1037-1053	2006	1.946	152
A solution to the long-object problem in helical cone-beam tomography	Physics in Medicine and Biology, 45(3), pp. 623-643	2000	2.665	135
Cone-beam filtered-backprojection algorithm for truncated helical data	Physics in Medicine and Biology, 43(10), pp. 2885-2909	1998	2.665	116
Derivation and Implementation of a Cone-Beam Reconstruction Algorithm for Nonplanar Orbits	IEEE Transactions on Medical Imaging, 13(1), pp. 196-211	1994	6.131	100
Solving the interior problem of computed tomography using a priori knowledge	Inverse Problems, 24(6)	2008	1.946	90
An accurate iterative reconstruction algorithm for sparse objects: Application to 3D blood vessel reconstruction from a limited number of projections	Physics in Medicine and Biology, 47(15), pp. 2599-2609	2002	2.665	79
Subset-dependent relaxation in block-iterative algorithms for image reconstruction in emission tomography	Physics in Medicine and Biology, 48(10), pp. 1405-1422	2003	2.665	65

Quasi-exact filtered backprojection algorithm for long-object problem in helical cone-beam tomography	IEEE Transactions on Medical Imaging, 19(9), pp. 902-921	2000	6.131	65
Investigation of saddle trajectories for cardiac CT imaging in cone-beam geometry	Physics in Medicine and Biology, 49(11), pp. 2317-2336	2004	2.665	63
New Super-Short-Scan Algorithms for Fan-Beam and Cone-Beam Reconstruction	IEEE Nuclear Science Symposium and Medical Imaging Conference 2, pp. 902-906	2002		44
Enabling photon counting clinical x-ray CT	IEEE Nuclear Science Symposium Conference Record, pp. 3581-3585	2009		41
Sinogram recovery with the method of convex projections for limited-data reconstruction in computed tomography	Journal of the Optical Society of America A: Optics and Image Science, and Vision, 8(7), pp. 1148-1160	1991	1.566	40
Feasible cone beam scanning methods for exact reconstruction in three-dimensional tomography	Journal of the Optical Society of America A: Optics and Image Science, and Vision, 7(12), pp. 2169-2183	1990	1.566	40
Exact cone beam reconstruction for a saddle trajectory	Physics in Medicine and Biology, 51(5), pp. 1157-1172	2006	2.665	30
A new reconstruction strategy for image improvement in pinhole SPECT	European Journal of Nuclear Medicine and Molecular Imaging, 31(8), pp. 1166-1172	2004	7.704	29
Exact and approximate algorithms for helical cone-beam CT	Physics in Medicine and Biology, 49(13), pp. 2913-2931	2004	2.665	28
General reconstruction theory for multislice X-ray computed tomography with a gantry tilt	IEEE Transactions on Medical Imaging, 23(9), pp. 1109-1116	2004	6.131	26
Extended completeness condition for exact cone-beam reconstruction and its application	IEEE Nuclear Science Symposium & Medical Imaging Conference 4, pp. 1710-1714	1995		25
Statistical image reconstruction from limited projection data with intensity priors	Physics in Medicine and Biology, 57(7), pp. 2039-2061	2012	2.665	24
Improved iterative algorithm for sparse object reconstruction and its performance evaluation with Micro-CT data	IEEE Transactions on Nuclear Science, 51(3 II), pp. 659-666	2004	1.440	22
New anatomical-prior-based image reconstruction method for PET/SPECT	IEEE Nuclear Science Symposium Conference Record 6, pp. 4142-4148	2007		21
Motion compensated fan-beam reconstruction for nonrigid transformation	IEEE Transactions on Medical Imaging, 27(7), pp. 907-917	2008	6.131	19
Fast and stable cone-beam filtered backprojection method for non-planar orbits	Physics in Medicine and Biology, 43(4), pp. 747-760	1998	2.665	18
Derivation and implementation of ordered-subsets algorithms for list-mode PET data	IEEE Nuclear Science Symposium Conference Record 4, pp. 1950-1954	2005		16

A new approach to SPECT attenuation correction without transmission measurements	IEEE Nuclear Science Symposium and Medical Imaging Conference 2, pp. 13/58-13/62	2000		16
Improved two-dimensional rebinning of helical cone-beam computerized tomography data using John's equation	Inverse Problems, 19(6), pp. S41-S54	2003	1.946	15
Rebinning-based algorithms for helical cone-beam CT	Physics in Medicine and Biology, 46(11), pp. 2911-2937	2001	2.665	15
Performance of quasi-exact cone-beam filtered backprojection algorithm for axially truncated helical data	IEEE Transactions on Nuclear Science, 46(3 PART 2), pp. 608-617	1999	1.440	15
Optimal relaxation parameters of DRAMA (dynamic RAMLA) aiming at one-pass image reconstruction for 3D-PET	Physics in Medicine and Biology, 55(10), pp. 2917-2939	2010	2.665	11
Millimeter-wave scanning near-field anisotropy microscopy	Review of Scientific Instruments, 76(3)	2005	1.428	11
Approximate short-scan filtered-backprojection for helical CB reconstruction	IEEE Nuclear Science Symposium and Medical Imaging Conference 3, pp. 2073-2077	1999		11
Tiny a priori knowledge solves the interior problem	IEEE Nuclear Science Symposium Conference Record 6, pp. 4068-4075	2007		9
View-independent reconstruction algorithms for cone beam CT with general saddle trajectory	Physics in Medicine and Biology, 51(15), pp. 3865-3884	2006	2.665	9
New approximate filtered backprojection algorithm for helical cone-beam CT with redundant data	IEEE Nuclear Science Symposium Conference Record 5, pp. 3211-3215	2003		9
Extended cone-beam reconstruction using Radon transform	IEEE Nuclear Science Symposium & Medical Imaging Conference 3, pp. 1693-1697	1996		8
Sparsity-constrained three-dimensional image reconstruction for C-arm angiography	Computers in Biology and Medicine, 62, pp. 141-153	2015	2.115	7
GPU-based PET image reconstruction using an accurate geometrical system model	IEEE Transactions on Nuclear Science, 59(5 PART 1), pp. 1977-1983	2012	1.440	7
New approach to exact cone-beam reconstruction without Radon transform	IEEE Nuclear Science Symposium and Medical Imaging Conference 3, pp. 1636-1643	1999		7
2D Non-Separable Block-Lifting Structure and Its Application to M-Channel Perfect Reconstruction Filter Banks for Lossy-to-Lossless Image Coding	IEEE Transactions on Image Processing, 24(12), pp. 4943-4951	2015	5.071	6
A simple motion tracking backprojection for a class of affine transformation	Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 6913	2008		5
Toward time resolved cardiac CT images with patient dose reduction: Image-based motion estimation	IEEE Nuclear Science Symposium Conference Record 4, pp. 2029-2032	2007		5

A dual layer GSO PET system for small animal: K-PET II	IFMBE Proceedings, 14(1), pp. 1712-1715	2007		5
Accurate and efficient image reconstruction for spatio-temporal CT	IEEE Nuclear Science Symposium Conference Record 6, pp. 3987-3991	2004		5
Ordered-subsets EM algorithm for image segmentation with application to brain MRI	IEEE Nuclear Science Symposium and Medical Imaging Conference 3, pp. 18/118-18/121	2000		5
Three - dimensional helical - scan computed tomography using cone - beam projections	Systems and Computers in Japan, 23(12), pp. 75-82	1992		5
Towards high-resolution synchrotron radiation imaging with statistical iterative reconstruction	Journal of Synchrotron Radiation, 20(1), pp. 116-124	2013	3.232	4
GPU implementation of list-mode DRAMA for real-time OpenPET image reconstruction	IEEE Nuclear Science Symposium Conference Record, pp. 2273-2276	2010		4
3D-OSEM reconstruction from truncated data in pinhole SPECT	IEEE Nuclear Science Symposium Conference Record, 6, pp. 4205-4207	2007		4
A new class of super-short-scan algorithms for fan-beam reconstruction	IEEE Nuclear Science Symposium Conference Record, 4, pp. 2296-2300	2005		4
HIGH QUALITY CT IMAGE RECONSTRUCTION FROM A SMALL NUMBER OF PROJECTIONS.	ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing – Proceedings, pp. 1272-1275	1988		4
Probabilistic atlas prior for CT image reconstruction	Computer Methods and Programs in Biomedicine, 128, pp. 119-136	2016	2.674	3
Note: Near-field imaging of thermal radiation at low temperatures by passive millimeter-wave microscopy	Review of Scientific Instruments, 84(3)	2013	1.428	3
Row-action image reconstruction algorithm using ℓ_p -norm distance to a reference image	IEEE Nuclear Science Symposium Conference Record, pp. 3966-3970	2012		3
Adaptive thresholding for robust iterative image reconstruction from limited views projection data	IEEE Nuclear Science Symposium Conference Record, pp. 4249-4252	2012		3
Conceptual design of high resolution and quantitative SPECT system for imaging a selected small roi of human brain	IEEE Nuclear Science Symposium Conference Record, pp. 3484-3486	2009		3
Region-of-interest reconstruction from truncated projection data under blind object support	IEEE Nuclear Science Symposium Conference Record, pp. 3632-3636	2008		3
Combination of a high resolution detector with small FOV and a low resolution detector with large FOV for high resolution and quantitative SPECT	IEEE Nuclear Science Symposium Conference Record, pp. 5229-5231	2008		3
Practical statistical models for region-of-interest tomographic reconstruction and long object problem	IEEE Nuclear Science Symposium Conference Record 5, pp. 3505-3511	2007		3

Improved 2D rebinning of helical cone-beam CT data using John's equation	IEEE Nuclear Science Symposium and Medical Imaging Conference 3, pp. 1465-1469	2002		3
Three-dimensional monochromatic x-ray computed tomography using synchrotron radiation	Optical Engineering, 37(8), pp. 2258-2267	1998	0.993	3
IMAGE RECONSTRUCTION FROM LIMITED VIEW ANGLE PROJECTION DATA.	ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing – Proceedings, pp. 1187-1190	1987		3
A very fast iterative algorithm for TV-regularized image reconstruction with applications to low-dose and few-view CT	Proceedings of SPIE - The International Society for Optical Engineering, 9967	2016		2
Extended block-lifting-based lapped transforms	IEEE Signal Processing Letters, 22(10), pp. 1657-1660	2015	2.813	2
Restoration of lost frequency in OpenPET imaging: Comparison between the method of convex projections and the maximum likelihood expectation maximization method	Radiological Physics and Technology, 7(2), pp. 329-339	2014		2
Two-dimensional non-separable block-lifting-based M-channel biorthogonal filter banks	European Signal Processing Conference, pp. 291-295	2014		2
Integer fast lapped biorthogonal transform via applications of DCT matrices and dyadic-valued factors for lifting coefficient blocks	2013 IEEE International Conference on Image Processing, ICIP 2013 – Proceedings, pp. 800-804	2013		2
MAP-EM reconstruction using uniform background template for limited-angle PEM	IEEE Nuclear Science Symposium Conference Record, pp. 4172-4174	2008		2
Image processing method for analyzing cerebral blood-flow using SPECT and MRI	IEEE Nuclear Science Symposium Conference Record 5, pp. 4015-4021	2007		2
Performance evaluation of relaxed block-iterative algorithms for 3-D PET reconstruction	IEEE Nuclear Science Symposium Conference Record 5, pp. 2830-2834	2004		2
3D image reconstruction using complete data in pinhole SPECT	IEEE Nuclear Science Symposium Conference Record 3, pp. 2100-2102	2003		2
Segmented attenuation map reconstruction from incomplete transmission data	IEEE Nuclear Science Symposium and Medical Imaging Conference 2, pp. 13/1-13/14	2000		2
New stochastic sampling method for region extraction: theory and experiments	Proceedings of SPIE - The International Society for Optical Engineering, 2823, pp. 174-183	1996		2
Texture image segmentation by optimal Gabor filters	International Conference on Signal Processing Proceedings, ICSP 1, pp. 380-383	1996		2

Millisecond-order X-ray phase tomography with compressed sensing	Japanese Journal of Applied Physics, 56(11)	2017	1.452	1
FBP embedded iterative method to efficiently solve the low-dose CT	Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 10132	2017		1
Investigation into image quality difference between total variation and nonlinear sparsifying transform based compressed sensing	Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 10132	2017		1
Applications of compressed sensing image reconstruction to sparse view phase tomography	Proceedings of SPIE - The International Society for Optical Engineering, 10391	2017		1
Interactive segmentation of pancreases from abdominal CT images by use of the graph cut technique with probabilistic atlases	Smart Innovation, Systems and Technologies, 45, pp. 575-584	2016		1
Clinical Usability of a Compact high resolution detector for high resolution and quantitative SPECT imaging in a selected small ROI	IEEE Nuclear Science Symposium Conference Record, pp. 4257-4259	2008		1
Wavelet image coding with context-based zerotree quantization framework	IEICE Transactions on Information and Systems, E83-D(2), pp. 211-222	2000	0.500	1
Wavelet packet image coding with optimized zerotree quantization	Proceedings of SPIE - The International Society for Optical Engineering, 3460, pp. 352-362	1998		1
Three-dimensional computed tomography using cone-beam monochromatic x-rays	IEEE Nuclear Science Symposium & Medical Imaging Conference 3, pp. 1501-1505	1996		1
Efficient linogram sampling method for cone-beam reconstruction	IEEE Nuclear Science Symposium & Medical Imaging Conference 2, pp. 1165-1169	1995		1
Three-dimensional monochromatic x-ray CT	Proceedings of SPIE - The International Society for Optical Engineering, 2564, pp. 548-557	1995		1
Tomographic image reconstruction from incomplete cone beam projections by the method of convex projections	Electronics and Communications in Japan (Part III: Fundamental Electronic Science), 74(9), pp. 54-63	1991		1
A Tomographic Image Reconstruction from Limited View Angle Projection Data	Systems and Computers in Japan, 19(7), pp. 56-64	1988		1
TOMOGRAPHIC IMAGE RECONSTRUCTION FROM HOLLOW PROJECTIONS.	ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing – Proceedings, pp. 1276-1279	1988		1

Pseudo reversible symmetric extension for lifting-based nonlinear-phase paraunitary filter banks	Proceedings - International Conference on Image Processing, ICIP, 2017-September, pp. 3265-3269	2018		0
Adaptive image denoising approach for low-dose computed tomography	Proceedings of ICCES 2017 12th International Conference on Computer Engineering and Systems, 2018-January, pp. 66-72	2018		0
Template-matching-based tracking of cervical spines in videofluorography during swallowing	Smart Innovation, Systems and Technologies, 71, pp. 185-191	2018		0
Image Boundary Extension with Mean Value for Cosine-Sine Modulated Lapped/Block Transforms	IEEE Transactions on Circuits and Systems for Video Technology	2017	3.558	0
Atlas-based interior tomography	2016 IEEE Nuclear Science Symposium, Medical Imaging Conference and Room-Temperature Semiconductor Detector Workshop, NSS/MIC/RTSD 2016, 2017-January	2017		0
Needle detection in interventional pain management with 3D image reconstruction	2016 IEEE Nuclear Science Symposium, Medical Imaging Conference and Room-Temperature Semiconductor Detector Workshop, NSS/MIC/RTSD 2016, 2017-January	2017		0
Atlas-based image reconstruction for breast CT imaging using non-isocentric c-arm scanner	2016 IEEE Nuclear Science Symposium, Medical Imaging Conference and Room-Temperature Semiconductor Detector Workshop, NSS/MIC/RTSD 2016, 2017-January	2017		0
An MRF-based image segmentation with unsupervised model parameter estimation	Proceedings of the 15th IAPR International Conference on Machine Vision Applications, MVA 2017, pp. 432-435	2017		0
In-situ straining and time-resolved electron tomography data acquisition in a transmission electron microscope	Microscopy, 66(2), pp. 143-153	2017	1.625	0
Practical interior tomography with small region piecewise model prior	Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 10132	2017		0
Interactive Segmentation of Pancreases in Abdominal Computed Tomography Images and Its Evaluation Based on Segmentation Accuracy and Interaction Costs	BioMed Research International, 2017	2017	2.583	0

Compressed sensing of sparsity-constrained total variation minimization for CT image reconstruction	Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 10132	2017		0
Phase unwrapping with differential phase image	Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 10132	2017		0
Low-dose CT image reconstruction method with probabilistic atlas prior	2015 IEEE Nuclear Science Symposium and Medical Imaging Conference, NSS/MIC, 2015	2016		0
Image boundary extension with mean values for cosine-sine modulated filter banks	2015 15th International Symposium on Communications and Information Technologies, ISCIT 2015, pp. 69-72	2016		0
Low-dose multiphase abdominal CT reconstruction with phase-induced swap prior	Proceedings of SPIE - The International Society for Optical Engineering, 9967	2016		0
Proposal of fault-tolerant tomographic image reconstruction	Proceedings of SPIE - The International Society for Optical Engineering, 9967	2016		0
New designs of CT scanners and compressed sensing	Seimitsu Kogaku Kaishi/Journal of the Japan Society for Precision Engineering, 82(6), pp. 506-512	2016		0
An improved phase shift reconstruction algorithm of fringe scanning technique for X-ray microscopy	Review of Scientific Instruments, 86(2)	2015	1.428	0
Compressed-sensing-based three-dimensional image reconstruction algorithm for C-arm vascular imaging	Proceedings of the 7th Cairo International Biomedical Engineering Conference, CIBEC 2014, pp. 111-114	2015		0
Integer time-domain pre- and post-filters for low-complexity extension of JPEG standard	2014 Asia-Pacific Signal and Information Processing Association Annual Summit and Conference, APSIPA 2014	2014		0
Development of interactive 3D imaging system for hepatic angiography	IEEE Nuclear Science Symposium Conference Record	2013		0
Analytical fan-beam reconstruction algorithm for free-form trajectory with plus-minus weighting scheme	Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 8313	2012		0
General analytical reconstruction formula for fan-beam computed tomography	Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 8313	2012		0
Metal artifact reduction in X-ray computed tomography by using analytical DBP-type algorithm	Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 8313	2012		0
Iterative thresholding framework for row-action reconstruction from sparse projection data	IEEE Nuclear Science Symposium Conference Record, pp. 4257-4259	2012		0
Towards a high-resolution local tomography using statistical iterative reconstruction	IEEE Nuclear Science Symposium Conference Record, pp. 4253-4256	2012		0

Computer-aided-diagnosis of dementia using SPECT images	Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers, 65(4), pp. 444-447	2011		0
High resolution brain imaging with combined parallel-hole and pinhole collimation	IEEE Nuclear Science Symposium Conference Record, pp. 3145-3148	2010		0
Fusion of image reconstruction and lesion detection using a bayesian framework for PET/SPECT	IEEE Nuclear Science Symposium Conference Record, pp. 3617-3624	2008		0
Noise reduction using a theoretically-exact algorithm for helical cone-beam tomography	IEEE Nuclear Science Symposium Conference Record 3, pp. 1674-1678	2007		0
Statistical PET image reconstruction using duality of nonlinear programming	Electronics and Communications in Japan, Part II: Electronics (English translation of Denshi Tsushin Gakkai Ronbunshi), 90(11), pp. 122-131	2007		0
Generation of a high-resolution image from a single low-resolution image using discrete cosine transformation	Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers, 61(7), pp. 1025-1029	2007		0
A unified approach to statistical image reconstruction using dual ascent optimization	IEEE Nuclear Science Symposium Conference Record 6, pp. 3541-3545	2004		0
Image improvement in pinhole SPECT using complete data acquisition combined with statistical image reconstruction	International Congress Series, 1265(C), pp. 101-105	2004		0
Attenuation Map Reconstruction Using Topology Constrained Labeling	Electronics and Communications in Japan, Part II: Electronics (English translation of Denshi Tsushin Gakkai Ronbunshi), 86(9), pp. 31-41	2003		0
Shape representation using extended hyperquadrics	Electronics and Communications in Japan, Part II: Electronics (English translation of Denshi Tsushin Gakkai Ronbunshi), 86(4), pp. 42-51	2003		0
Newton-SOR method for fast statistical tomographic image reconstruction	Systems and Computers in Japan, 34(4), pp. 1-11	2003		0
Sparse Object Reconstruction from a Limited Number of Projections Using the Linear Programming	IEEE Nuclear Science Symposium and Medical Imaging Conference 2, pp. 989-993	2002		0
Improvement in image reconstruction of scanning near-field millimeter-wave microscopy using a metal slit-type probe	Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers, 40(6 A), pp. 4252-4253	2001	1.44	0

Globally convergent newton-SOR method for statistical image reconstruction	IEEE Nuclear Science Symposium and Medical Imaging Conference 2, pp. 15/263-15/266	2000		0
Performance of quasi-exact cone-beam filtered backprojection algorithm for axially truncated helical data	IEEE Nuclear Science Symposium and Medical Imaging Conference 3, pp. 1409-1416	1999		0
Compression of rotation images based on the wavelet transform	International Conference on Signal Processing Proceedings, ICSP 2, pp. 1043-1046	1996		0
Stereo-matching algorithm based on energy minimization principle in Markov random field model	Proceedings of SPIE - The International Society for Optical Engineering 2823, pp. 128-137	1996		0
Signal source localization from spatio-temporal bio-magnetic data by signal subspace method	Systems and Computers in Japan, 27(2), pp. 12-24	1996		0
Three-dimensional Bayesian reconstruction applied to cardiac SPECT	IEEE Nuclear Science Symposium & Medical Imaging Conference 2, pp. 1247-1251	1995		0
Multiple signal source localization from spatio-temporal magnetocardiogram	IEEE Nuclear Science Symposium & Medical Imaging Conference 4, pp. 1832-1836	1995		0
Edge detection using markov random field models—optimization and parameter estimation by mean field annealing	Electronics and Communications in Japan (Part III: Fundamental Electronic Science), 78(7), pp. 21-33	1995		0
Image restoration with a generalized expectation-maximization algorithm	Systems and Computers in Japan, 24(12), pp. 43-53	1993		0
Reconstruction of emission tomographic images using the compound gauss - markov random field	Systems and Computers in Japan, 24(4), pp. 78-87	1993		0
Estimation of static field inhomogeneity and patient motion in magnetic resonance imaging	Systems and Computers in Japan, 23(1), pp. 38-48	1992		0
Reconstruction of Three-Dimensional Structure of Cerebral Vessels from Digital Subtraction Angiographic Images	Japanese journal of medical electronics and biological engineering, 30(4), pp. 276-281	1992		0
Reconstruction of magnetic resonance images by iterative methods	Systems and Computers in Japan, 23(3), pp. 62-74	1992		0
Tomographic image reconstruction from incomplete projection data by the method of convex projections	Systems and Computers in Japan, 22(2), pp. 66-75	1991		0
Three-dimensional tomographic image reconstruction from cone beam projections by single scanning method	Systems and Computers in Japan, 21(11), pp. 86-95	1990		0

A reversible data compression scheme for CT image archiving	Proceedings of SPIE - The International Society for Optical Engineering, 1091, pp. 60-67	1989		0
---	--	------	--	---